

Medisch Specialisten

Auteur	Titel	Specialisme
Verberne HJ, van der Spank A, Bresser P, Somsen GA.	The prognostic value of estimated glomerular filtration rate, amino-terminal portion of the pro-hormone B-type natriuretic peptide and parameters of cardiopulmonary exercise testing in patients with chronic heart failure. <i>Heart Int.</i> 2012 Jun 5;7(2):e13. doi: 10.4081/hi.2012.e13	Cardiologie
van Luijk A.	Immediate treatment in apical radiolucency. <i>No. Ned Tijdschr Tandheelkd.</i> 2012 Oct;119(10):467.	Centrum Bijzondere Tandheelkunde
van Vliet JL, van Gulik TM, Verbeek PC.	Is it necessary to send gallbladder specimens for routine histopathological examination after cholecystectomy? The use of macroscopic examination. <i>Dig Surg.</i> 2013;30(4-6):472-5. doi: 10.1159/000357259.	Chirurgie
Verheijen PM, vd Ven AW, Davids PH, Pronk A.	More adequate lymph node dissection after laparoscopic colorectal surgery. <i>Surg Laparosc Endosc Percutan Tech.</i> 2013 Dec;23(6):498-501. doi: 10.1097/SLE.0b013e31828f70b4.PMID: 24300925	
Willems MC, van der Vliet JA, Lomme RM, Hendriks T.	Tacrolimus does not affect early wound healing in a rodent model of bowel anastomoses and abdominal wall closure. <i>PLoS One.</i> 2013 Sep 26;8(9):e76348. doi: 10.1371/journal.pone.0076348.	
Ram K, Dam L, in 't Hof KH, Nieveen van Dijkum EJ.	Intraoperative neuromonitoring during endocrine surgery. <i>Ned Tijdschr Geneeskd.</i> 2012;156(25):A4483.	
Duijts SF, van Beurden M, Oldenburg HS, Hunter MS, Kieffer JM, Stuiver MM, Gerritsma MA, Menke-Pluymers MB, Plaisier PW, Rijna H, Lopes Cardozo AM, Timmers G, van der Meij S, van der Veen H, Bijker N, de Widt-Levert LM, Geenen MM, Heuff G, van Dulken EJ, Boven E, Aaronson NK.	Efficacy of cognitive behavioral therapy and physical exercise in alleviating treatment-induced menopausal symptoms in patients with breast cancer: results of a randomized, controlled, multicenter trial. <i>J Clin Oncol.</i> 2012 Nov 20;30(33):4124-33. doi: 10.1200/JCO.2012.41.8525.	
Peters AL, Kruijer MJ, Wiese H, Verbeek PC.	A colo-urachal-cutaneous fistula in an 88-year-old male. <i>Int J Surg Case Rep.</i> 2012;3(2):55-8. doi: 10.1016/j.ijscr.2011.10.013.	

Willems MC, Hendriks T, de Man BM, Lomme RM, van der Vliet JA.	Everolimus-induced loss of wound strength can be prevented by a short postoperative delay in its administration. <i>Wound Repair Regen.</i> 2011 Nov;19(6):680-6. doi: 10.1111/j.1524-475X.2011.00730.x.	
Kroon MW, Roest RW.	A man with a swollen nipple. <i>Ned Tijdschr Geneesk.</i> 2013;157(43):A6067.	Dermatologie
Wijtvliet SL, Chin-A-Lien RA.	A woman with skin lesions in a tattoo. <i>Ned Tijdschr Geneesk.</i> 2012;156(1):A3931.	
Faber WR, Hoekzema R, Bart A, Zeegelaar JE, de Vries HJ.	Cutaneous leishmaniasis acquired in Jura, France. <i>Emerg Infect Dis.</i> 2012 Jan;18(1):183-4. doi: 10.3201/eid1801.110408.	
Komen DJ, Doorn MB, Zeegelaar JE.	A 22 year old man with acute genital oedema and a swollen ankle. <i>BMJ.</i> 2011 Jul 6;343:d3132. doi: 10.1136/bmj.d3132.	
van Thiel PP, Zeegelaar JE, van Gool T, Faber WR, Kager PA.	Cutaneous leishmaniasis in three Dutch military cohorts following jungle training in Belize. <i>Travel Med Infect Dis.</i> 2011 May;9(3):153-60. doi: 10.1016/j.tmaid.2011.03.001.	
Thulluru HK, Park C, Dufort D, Kleiverda G, Oudejans C, van Dijk M.	Maternal Nodal inversely affects NODAL and STOX1 expression in the fetal placenta. <i>Front Genet.</i> 2013 Aug 27;4:170. doi: 10.3389/fgene.2013.00170.	Gynaecologie
van Rheenen-Flach LE, Zweegman S, Boersma F, Lenglet JE, Twisk JW, Bolte AC.	A prospective longitudinal study on rotation thromboelastometry in women with uncomplicated pregnancies and postpartum. <i>Aust N Z J Obstet Gynaecol.</i> 2013 Feb;53(1):32-6. doi: 10.1111/ajo.12023.	
Melman S, Schoorel EN, Dirksen C, Kwee A, Smits L, de Boer F, Jonkers M, Woiski MD, Mol BW, Doornbos JP, Visser H, Huisjes AJ, Porath MM, Delemarre FM, Kuppens SM, Aardenburg R, Van Dooren IM, Vrouwenraets FP, Lim FT, Kleiverda G, van der Salm PC, de Boer K, Sikkema MJ, Nijhuis JG, Hermens RP, Scheepers HC.	SIMPLE: implementation of recommendations from international evidence-based guidelines on caesarean sections in the Netherlands. Protocol for a controlled before and after study. <i>Implement Sci.</i> 2013 Jan 3;8:3. doi: 10.1186/1748-5908-8-3.	
van Dijk M, Thulluru HK, Mulders J, Michel OJ, Poutsma A, Windhorst S, Kleiverda G, Sie D, Lachmeijer AM, Oudejans CB.	HELLP babies link a novel lincRNA to the trophoblast cell cycle. <i>J Clin Invest.</i> 2012 Nov 1;122(11):4003-11. doi: 10.1172/JCI65171.	
Lim AC, Schuit E, Papatsonis D, van Eyck J, Porath MM, van Oirschot CM, Hummel P, Hasaart TH, Kleiverda G, de Graaf IM, van Ginkel AA, Mol BW, Bruinse HW.	Effect of 17-alpha hydroxyprogesterone caproate on cervical length in twin pregnancies. <i>Ultrasound Obstet Gynecol.</i> 2012 Oct;40(4):426-30. doi: 10.1002/uog.11174.	
Kleiverda G.	Climacteric complaints? <i>Ned Tijdschr Geneesk.</i> 2012;156(41):A5253. Review. Dutch.	

Dijkstra MG, Heideman DA, van Kemenade JA, Hogewoning KJ, Hesselink AT, Muriël CG, Verkuijten MC, van Baal WM, Nieuwenhuysen-de Boer GM, Snijders PJ, Meijer CJ,	Brush-based self-sampling in combination with GP5+/6+-PCR-based hrHPV testing: High concordance with physician-taken cervical scrapes for HPV genotyping and detection of high-grade CIN Journal of Clinical Virology Volume 54, Issue 2, June 2012, Pages 147–151 DOI: 10.1016/j.jcv.2012.02.022	
Boersma A, Alberts J, Bruijn JD, Meyboom BD, Kleiverda G.	Termination of pregnancy in Curaçao: need for improvement of sexual and reproductive healthcare. Glob J Health Sci. 2012 Apr 28;4(3):30-8. doi: 10.5539/gjhs.v4n3p30.	
Louwers JA, Berkhof J, Zaal A, Kocken M, Rozendaal L, Heideman DA, van Baal WM, Snijders PJ, Verheijen RH, Meijera CJ,	HrHPV-testing in a university hospital gynecology outpatient clinic: Recommendations for clinical practice. Gynecologic Oncology Volume 124, Issue 3, March 2012, Pages 518–524	
Vonk Noordegraaf A, Huirne JA, Brölmann HA, Emanuel MH, van Kesteren PJ, Kleiverda G, Lips JP, Mozes A, Thurkow AL, van Mechelen W, Anema JR.	Effectiveness of a multidisciplinary care program on recovery and return to work of patients after gynaecological surgery; design of a randomized controlled trial. BMC Health Serv Res. 2012 Feb 1;12:29. doi: 10.1186/1472-6963-12-29.	
Gomperts R, Petow SA, Jelinska K, Steen L, Gemzell-Danielsson K, Kleiverda G.	Regional differences in surgical intervention following medical termination of pregnancy provided by telemedicine. Acta Obstet Gynecol Scand. 2012 Feb;91(2):226-31. doi: 10.1111/j.1600-0412.2011.01285.x.	
Overmeer RM, Louwers JA, Meijer CJ, van Kemenade FJ, Hesselink AT, Daalmeijer NF, Wilting SM, Heideman DA, Verheijen RH, Zaal A, van Baal WM, Berkhof J, Snijders PJ, Steenbergen RD.	Combined CADM1 and MAL promoter methylation analysis to detect (pre-)malignant cervical lesions in high-risk HPV-positive women. Int J Cancer. 2011 Nov 1;129(9):2218-25. doi: 10.1002/ijc.25890.	
van der Tuuk K, Koopmans CM, Groen H, Aarnoudse JG, van den Berg PP, van Beek JJ, Copraij FJ, Kleiverda G, Porath M, Rijnders RJ, van der Salm PC, Santema JG, Stigter RH, Mol BW, van Pampus MG; HYPITAT study group.	Prediction of progression to a high risk situation in women with gestational hypertension or mild pre-eclampsia at term. Aust N Z J Obstet Gynaecol. 2011 Aug;51(4):339-46. doi: 10.1111/j.1479-828X.2011.01311.x.	
Boersma AA, Meyboom-de Jong B, Kleiverda G.	Mifepristone followed by home administration of buccal misoprostol for medical abortion up to 70 days of amenorrhoea in a general practice in Curaçao. Eur J Contracept Reprod Health Care. 2011 Apr;16(2):61-6. doi: 10.3109/13625187.2011.555568.	
Sleeswijk ME, Van Noord T, Zijlstra JG.	New Onset Atrial Fibrillation in Critically Ill Patients. Hoofdstuk 19. In: Prof. Jong-Il Choi (Red.). Atrial Fibrillation - Basic Research and Clinical Applications, InTech; 2012. ISBN: 978-953-307-399-6.	Intensive Care

Trof RJ, Danad I, Reilingh MW, Breukers RM, Groeneveld AB.	Cardiac filling volumes versus pressures for predicting fluid responsiveness after cardiovascular surgery: the role of systolic cardiac function. Crit Care. 2011;15(1):R73. doi: 10.1186/cc10062.	
de Heer K, van der Schee MP, Zwinderman K, van den Berk IA, Visser CE, van Oers R, Sterk PJ.	Electronic nose technology for detection of invasive pulmonary aspergillosis in prolonged chemotherapy-induced neutropenia: a proof-of-principle study. J Clin Microbiol. 2013 May;51(5):1490-5. doi: 10.1128/JCM.02838-12.	Interne Geneeskunde
Krikke M, ten Wolde M, Smit N.	Addison's disease, primary adrenal insufficiency in adults. Ned Tijdschr Geneesk. 2013;157(37):A6078.	
Sommeijer DW, Sjoquist KM, Friedlander M.	Hormonal treatment in recurrent and metastatic gynaecological cancers: a review of the current literature. Curr Oncol Rep. 2013 Dec;15(6):541-8. doi: 10.1007/s11912-013-0343-3.	
Kales AJ, Smit N, Gruteke P, Branger J.	Keratoconjunctivitis, pharyngeal ulcers, hypoxaemia and fever. The Netherlands journal of medicine. Dec. 2012;70(10)463-468	
Kompier CJ, Roelants R, van de Griendt EJ.	A boy with a cough and shoulder pain. Ned Tijdschr Geneesk. 2013;157(9):A5447.	Kindergeneeskunde
Verkleij M, van de Griendt EJ, Kaptein AA, van Essen-Zandvliet LE, Duiverman EJ, Geenen R.	The prospective association between behavioural problems and asthma outcome in young asthma patients. Acta Paediatr. 2013 May;102(5):504-9. doi: 10.1111/apa.12179.	
Verkleij M, van de Griendt EJ, Kaptein AA, van Essen-Zandvliet L, Duiverman E, Geenen R.	Behavioral problems in children and adolescents with difficult-to-treat asthma. J Asthma. 2011 Feb;48(1):18-24. doi: 10.3109/02770903.2010.528497.	
Hubeek I, Abrahams AC, de Bruin M, Kemperman H.	Falsely decreased ionized calcium results due to analytical interference by teriflunomide, the active metabolite of leflunomide (Arava®). Clinical Chemistry and Laboratory Medicine (CCLM)	Klinisch Chemisch Laboratorium
de Vries Y, Lwiwski N, Levitus M, Kuyt B, Israels SJ, Arwert F, Zwaan M, Greenberg CR, Alter BP, Joenje H, Meijers-Heijboer H.	A Dutch Fanconi Anemia FANCC Founder Mutation in Canadian Manitoba Mennonites. Anemia. 2012;2012:865170. doi: 10.1155/2012/865170.	
Molenaar PJ, Dinkelaar J, Leyte A.	Measuring Rivaroxaban in a clinical laboratory setting, using common coagulation assays, Xa inhibition and thrombin generation.	
van den Besselaar AM, van Zanten AP, Brantjes HM, Elisen MG, van der Meer FJ, Poland DC, Sturk A, Leyte A, Castel A.	Comparative study of blood collection tubes and thromboplastin reagents for correction of INR discrepancies: a proposal for maximum allowable magnesium contamination in sodium citrate anticoagulant solutions. Am J Clin Pathol. 2012 Aug;138(2):248-54. doi: 10.1309/AJCPGSB5YPJRREEV.	

Trappenburg MC, van Schilfgaarde M, Frerichs FC, Spronk HM, ten Cate H, de Fijter CW, Terpstra WE, Leyte A.	Chronic renal failure is accompanied by endothelial activation and a large increase in microparticle numbers with reduced procoagulant capacity. <i>Nephrol Dial Transplant</i> . 2012 Apr;27(4):1446-53. doi: 10.1093/ndt/gfr474.	
Molenaar PJ, Leyte A.	Pre-acquisition system assessment of the Sysmex(®) Coagulation System CS-2100i and comparison with end-user verification; a model for the regional introduction of new analysers and methods. <i>Clin Chem Lab Med</i> . 2011 Sep;49(9):1479-89. doi: 10.1515/CCLM.2011.615.	
Trappenburg MC, van Schilfgaarde M, Bredewold EO, van Aalderen MC, Spronk HM, Ten Cate H, Leyte A, Terpstra WE.	Elevated numbers and altered subsets of procoagulant microparticles in breast cancer patients using endocrine therapy. <i>Thromb Res</i> . 2011 Apr;127(4):363-9. doi: 10.1016/j.thromres.2010.12.015.	
Vroemen JC, Dobbe JG, Sierevelt IN, Strackee SD, Streekstra GJ.	Accuracy of distal radius positioning using an anatomical plate. <i>Orthopedics</i> . 2013 Apr;36(4):e457-62. doi: 10.3928/01477447-20130327-22.	Klinische Fysica
Vroemen JC, Dobbe JG, Strackee SD, Streekstra GJ.	Positioning evaluation of corrective osteotomy for the malunited radius: 3-D CT versus 2-D radiographs. <i>Orthopedics</i> . 2013 Feb;36(2):e193-9. doi: 10.3928/01477447-20130122-22.	
van de Giessen M, Vos FM, Grimbergen CA, van Vliet LJ, Streekstra GJ.	An efficient and robust algorithm for parallel groupwise registration of bone surfaces. <i>Med Image Comput Comput Assist Interv</i> . 2012;15(Pt 3):164-71.	
van de Giessen M, Vos FM, Grimbergen CA, van Vliet LJ, Streekstra GJ.	Groupwise rigid registration of wrist bones. <i>Med Image Comput Comput Assist Interv</i> . 2012;15(Pt 2):155-62.	
Boellaard TN, Venema HW, Streekstra GJ, Stoker J.	Effective radiation dose in CT colonography: is there a downward trend? <i>Acad Radiol</i> . 2012 Sep;19(9):1127-33. doi: 10.1016/j.acra.2012.04.013.	
van de Giessen M, Foumani M, Vos FM, Strackee SD, Maas M, Van Vliet LJ, Grimbergen CA, Streekstra GJ.	A 4D statistical model of wrist bone motion patterns. <i>IEEE Trans Med Imaging</i> . 2012 Mar;31(3):613-25. doi: 10.1109/TMI.2011.2174159.	
Buijze GA, Dvinskikh NA, Strackee SD, Streekstra GJ, Blankevoort L.	Osseous and ligamentous scaphoid anatomy: Part II. Evaluation of ligament morphology using three-dimensional anatomical imaging. <i>J Hand Surg Am</i> . 2011 Dec;36(12):1936-43. doi: 10.1016/j.jhsa.2011.09.016.	
van de Giessen M, de Raedt S, Stilling M, Hansen TB, Maas M, Streekstra GJ, van Vliet LJ, Vos FM.	Localized component analysis for arthritis detection in the trapeziometacarpal joint. <i>Med Image Comput Comput Assist Interv</i> . 2011;14(Pt 2):360-7.	
Marquering HA, van Ooij P, Streekstra GJ, Schneiders JJ, Majoie CB, vanBavel E, Nederveen AJ.	Multiscale flow patterns within an intracranial aneurysm phantom. <i>IEEE Trans Biomed Eng</i> . 2011 Dec;58(12):3447-50. doi: 10.1109/TBME.2011.2163070.	

<p>Carelsen B, van Loon J, Streekstra GJ, Maas M, van Kemenade P, Strackee SD.</p>	<p>First experiences with the use of intraoperative 3D-RX for wrist surgery. <i>Minim Invasive Ther Allied Technol.</i> 2011 May;20(3):160-6. doi: 10.3109/13645706.2010.518807.</p>	
<p>Saeed P, van Furth WR, Tanck M, Kooremans F, Freling N, Streekstra GI, Regensburg NI, van der Sprenkel JW, Peerdeman SM, van Overbeeke JJ, Mourits MP.</p>	<p>Natural history of spheno-orbital meningiomas. <i>Acta Neurochir (Wien).</i> 2011 Feb;153(2):395-402. doi: 10.1007/s00701-010-0878-0.</p>	
<p>van Rijsingen IA, Nannenber EA, Arbustini E, Elliott PM, Mogensen J, Hermans-van Ast JF, van der Kooi AJ, van Tintel JP, van den Berg MP, Grasso M, Serio A, Jenkins S, Rowland C, Richard P, Wilde AA, Perrot A, Pankuweit S, Zwinderman AH, Charron P, Christiaans I, Pinto YM.</p>	<p>Gender-specific differences in major cardiac events and mortality in lamin A/C mutation carriers. <i>Eur J Heart Fail.</i> 2013 Apr;15(4):376-84. doi: 10.1093/eurjhf/hfs191.</p>	<p>Klinische Genetica</p>
<p>Nannenber EA, Sijbrands EJ, Dijkman LM, Alders M, van Tintel JP, Birnie M, van Langen IM, Wilde AA.</p>	<p>Mortality of inherited arrhythmia syndromes: insight into their natural history. <i>Circ Cardiovasc Genet.</i> 2012 Apr 1;5(2):183-9. doi: 10.1161/CIRCGENETICS.111.961102.</p>	
<p>Nannenber EA, Michels M, Christiaans I, Majoor-Krakauer D, Hoedemaekers YM, van Tintel JP, Lombardi MP, ten Cate FJ, Schinkel AF, Tijssen JG, van Langen IM, Wilde AA, Sijbrands EJ.</p>	<p>Mortality risk of untreated myosin-binding protein C-related hypertrophic cardiomyopathy: insight into the natural history. <i>J Am Coll Cardiol.</i> 2011 Nov 29;58(23):2406-14. doi: 10.1016/j.jacc.2011.07.044.</p>	
<p>Kerner GS, Schuurung E, Sietsma J, Hiltermann TJ, Pieterman RM, de Leede GP, van Putten JW, Liesker J, Renkema TE, van Hengel P, Platteel I, Timens W, Groen HJ; CTMM Air Force Consortium.</p>	<p>Common and rare EGFR and KRAS mutations in a Dutch non-small-cell lung cancer population and their clinical outcome. <i>PLoS One.</i> 2013 Jul 29;8(7):e70346. doi: 10.1371/journal.pone.0070346. Print 2013.</p>	<p>Longgeneeskunde</p>
<p>Kaptein AA, Yamaoka K, Snoei L, Kobayashi K, Uchida Y, van der Kloot WA, Tabei T, Kleijn WC, Koster M, Wijnands G, Kaajan H, Tran T, Inoue K, van Klink R, van Dooren-Coppens E, Dik H, Hayashi F, Willems L, Annema-Schmidt D, Annema J, van der Maat B, van Kralingen K, Meirink C, Ogoshi K, Aaronson N, Nortier H, Rabe K.</p>	<p>Illness perceptions and quality of life in Japanese and Dutch patients with non-small-cell lung cancer. <i>Lung Cancer.</i> 2011 Jun;72(3):384-90. doi: 10.1016/j.lungcan.2010.09.010.</p>	
<p>Alvarez Herrero L, Curvers WL, van Vilsteren FG, Wolfsen H, Ragnath K, Wong Kee Song LM, Mallant-Hent RC, van Oijen A, Scholten P, Schoon EJ, Schenk EB, Weusten BL, Bergman JG.</p>	<p>Validation of the Prague C&M classification of Barrett's esophagus in clinical practice. <i>Endoscopy.</i> 2013 Nov;45(11):876-82. doi: 10.1055/s-0033-1344952.</p>	<p>Maag-, darm- en leverziekten</p>

Feuth T, Arends JE, Lieveeld FI, Mundt MW, Hoepelman AI, Siersema PD, van Erpecum KJ.	Impact of transient elastography on clinical decision-making in patients with chronic viral hepatitis. <i>Scand J Gastroenterol</i> . 2013 Sep;48(9):1074-81. doi: 10.3109/00365521.2013.819441.	
Denters MJ, Schreuder M, Depla AC, Mallant-Hent RC, van Kouwen MC, Deutekom M, Bossuyt PM, Fockens P, Dekker E.	Patients' perception of colonoscopy: patients with inflammatory bowel disease and irritable bowel syndrome experience the largest burden. <i>Eur J Gastroenterol Hepatol</i> . 2013 Aug;25(8):964-72. doi: 10.1097/MEG.0b013e328361dcd3.	
Phoa KN, Pouw RE, van Vilsteren FG, Sondermeijer CM, Ten Kate FJ, Visser M, Meijer SL, van Berge Henegouwen MI, Weusten BL, Schoon EJ, Mallant-Hent RC, Bergman JJ.	Remission of Barrett's esophagus with early neoplasia 5 years after radiofrequency ablation with endoscopic resection: a Netherlands cohort study. <i>Gastroenterology</i> . 2013 Jul;145(1):96-104. doi: 10.1053/j.gastro.2013.03.046.	
Stegeman I, de Wijkerslooth TR, Mallant-Hent RC, de Groot K, Stroobants AK, Fockens P, Mundt M, Bossuyt PM, Dekker E.	Implementation of population screening for colorectal cancer by repeated Fecal Immunochemical Test (FIT): third round. <i>BMC Gastroenterol</i> . 2012 Jun 19;12:73. doi: 10.1186/1471-230X-12-73.	
Kuiper T, van den Broek FJ, Naber AH, van Soest EJ, Scholten P, Mallant-Hent RC, van den Brande J, Jansen JM, van Oijen AH, Marsman WA, Bergman JJ, Fockens P, Dekker E.	Endoscopic trimodal imaging detects colonic neoplasia as well as standard video endoscopy. <i>Gastroenterology</i> . 2011 Jun;140(7):1887-94. doi: 10.1053/j.gastro.2011.03.008.	
Curvers WL, van Vilsteren FG, Baak LC, Böhmer C, Mallant-Hent RC, Naber AH, van Oijen A, Ponsioen CY, Scholten P, Schenk E, Schoon E, Seldenrijk CA, Meijer GA, ten Kate FJ, Bergman JJ.	Endoscopic trimodal imaging versus standard video endoscopy for detection of early Barrett's neoplasia: a multicenter, randomized, crossover study in general practice. <i>Gastrointest Endosc</i> . 2011 Feb;73(2):195-203. doi: 10.1016/j.gie.2010.10.014.	
Curvers WL, ten Kate FJ, Krishnadath KK, Visser M, Elzer B, Baak LC, Bohmer C, Mallant-Hent RC, van Oijen A, Naber AH, Scholten P, Busch OR, Blaauwgeers HG, Meijer GA, Bergman JJ.	Low-grade dysplasia in Barrett's esophagus: overdiagnosed and underestimated. <i>Am J Gastroenterol</i> . 2010 Jul;105(7):1523-30. doi: 10.1038/ajg.2010.171.	
Fransen van de Putte D, Blom R, van Soest H, Mundt M, Verveer C, Arends J, de Knegt RE, Mauser-Bunschoten E, van Erpecum K.	Impact of Fibroscan on management of chronic viral hepatitis in clinical practice. <i>Ann Hepatol</i> . 2011 Oct-Dec;10(4):469-76.	
Lemmens J, Bours GJ, Limburg M, Beurskens AJ.	The feasibility and test-retest reliability of the Dutch Swal-Qol adapted interview version for dysphagic patients with communicative and/or cognitive problems. <i>Qual Life Res</i> . 2013 May;22(4):891-5. doi: 10.1007/s11136-012-0202-y.	Neurologie
Bauer A, Limburg M, Visser MC.	Variation in clinical practice of intravenous thrombolysis in stroke in the Netherlands. <i>Cerebrovasc Dis Extra</i> . 2013 Apr 27;3(1):74-7. doi: 10.1159/000350707. Print 2013 Jan.	

Fens M, van Heugten CM, Beusmans GH, Limburg M, Haeren R, Kaemingk A, Metsemakers JF.	Not as transient: patients with transient ischaemic attack or minor stroke experience cognitive and communication problems; an exploratory study. <i>Eur J Gen Pract.</i> 2013 Mar;19(1):11-6. doi: 10.3109/13814788.2012.715147.	
Heijnen R, Limburg M, Evers S, Beusmans G, van der Weijden T, Schols J.	Towards a better integrated stroke care: the development of integrated stroke care in the southern part of the Netherlands during the last 15 years (Special 10th Anniversary Edition paper). <i>Int J Integr Care.</i> 2012 Apr-Jun;12:e123.	
Bour A, Rasquin S, Limburg M, Verhey F.	Depressive symptoms and executive functioning in stroke patients: a follow-up study. <i>Int J Geriatr Psychiatry.</i> 2011 Jul;26(7):679-86. doi: 10.1002/gps.2581. Epub 2010 Oct 13.	
Burgers PT, Van Geene AR, Van den Bekerom MP, Van Lieshout EM, Blom B, Aleem IS, Bhandari M, Poolman RW.	Total hip arthroplasty versus hemiarthroplasty for displaced femoral neck fractures in the healthy elderly: a meta-analysis and systematic review of randomized trials. <i>Int Orthop.</i> 2012 Aug;36(8):1549-60. doi: 10.1007/s00264-012-1569-7.	Orthopedie
Wijers O, Conijn A, Wiese H, Sjer M.	Appendico-cutaneous fistula 20 years after groin hernia repair with a polypropylene plug. <i>BMJ Case Rep.</i> 2013 Aug 6;2013. pii: bcr2013009801. doi: 10.1136/bcr-2013-009801.	Radiologie
Peters AL, Kruijer MJ, Wiese H, Verbeek PC.	A colo-urachal-cutaneous fistula in an 88-year-old male. <i>Int J Surg Case Rep.</i> 2012;3(2):55-8. doi: 10.1016/j.ijscr.2011.10.013.	
Donker M, Litière S, Werutsky G, Julien JP, Fentiman IS, Agresti R, Rouanet P, de Lara CT, Bartelink H, Duez N, Rutgers EJ, Bijker N.	Breast-conserving treatment with or without radiotherapy in ductal carcinoma In Situ: 15-year recurrence rates and outcome after a recurrence, from the EORTC 10853 randomized phase III trial. <i>J Clin Oncol.</i> 2013 Nov 10;31(32):4054-9. doi: 10.1200/JCO.2013.49.5077.	Radiotherapie
Bijker N, Donker M, Wesseling J, den Heeten GJ, Rutgers EJ.	Is DCIS breast cancer, and how do I treat it? <i>Curr Treat Options Oncol.</i> 2013 Mar;14(1):75-87. doi: 10.1007/s11864-012-0217-1.	
Duijts SF, van Beurden M, Oldenburg HS, Hunter MS, Kieffer JM, Stuiver MM, Gerritsma MA, Menke-Pluymers MB, Plaisier PW, Rijna H, Lopes Cardozo AM, Timmers G, van der Meij S, van der Veen H, Bijker N, de Widt-Levert LM, Geenen MM, Heuff G, van Dulken EJ, Boven E, Aaronson NK.	Efficacy of cognitive behavioral therapy and physical exercise in alleviating treatment-induced menopausal symptoms in patients with breast cancer: results of a randomized, controlled, multicenter trial. <i>J Clin Oncol.</i> 2012 Nov 20;30(33):4124-33. doi: 10.1200/JCO.2012.41.8525.	

Pieters BR, Rezaie E, Geijssen ED, Koedooder K, van der Grient JN, Blank LE, de Reijke TM, Koning CC.	Development of late toxicity and International Prostate Symptom Score resolution after external-beam radiotherapy combined with pulsed dose rate brachytherapy for prostate cancer. <i>Int J Radiat Oncol Biol Phys.</i> 2011 Nov 1;81(3):758-64. doi: 10.1016/j.ijrobp.2010.05.044.	
Pieters BR, Geijssen ED, Koedooder K, Blank LE, Rezaie E, van der Grient JN, de Reijke TM, Koning CC.	Treatment results of PDR brachytherapy combined with external beam radiotherapy in 106 patients with intermediate- to high-risk prostate cancer. <i>Int J Radiat Oncol Biol Phys.</i> 2011 Mar 15;79(4):1037-42. doi: 10.1016/j.ijrobp.2009.12.044.	
Kortekaas MC, Kwok WY, Reijnierse M, Huizinga TW, Kloppenburg M.	In erosive hand osteoarthritis more inflammatory signs on ultrasound are found than in the rest of hand osteoarthritis. <i>Ann Rheum Dis.</i> 2013 Jun;72(6):930-4. doi: 10.1136/annrheumdis-2012-201458.	Reumatologie
Kortekaas MC1, Kwok WY, Reijnierse M, Huizinga TW, Kloppenburg M.	Osteophytes and joint space narrowing are independently associated with pain in finger joints in hand osteoarthritis. <i>Ann Rheum Dis.</i> 2011 Oct;70(10):1835-7. doi: 10.1136/ard.2010.147553.	
Strang AC, Bisoendial RJ, Kootte RS, Schulte DM, Dallinga-Thie GM, Levels JH, Kok M, Vos K, Tas SW, Tietge UJ, Müller N, Laudes M, Gerlag DM, Stroes ES, Tak PP.	Pro-atherogenic lipid changes and decreased hepatic LDL receptor expression by tocilizumab in rheumatoid arthritis. <i>Atherosclerosis.</i> 2013 Jul;229(1):174-81. doi: 10.1016/j.atherosclerosis.2013.04.031.	
Boumans M, Teng O, Thurlings R, Bijlsma J, Gerlag D, Huizinga T, Vos K, Stapel S, Wolbink G, Tekstra J, van Laar J, Tak PP.	Progression of structural damage is not related to rituximab serum levels in rheumatoid arthritis patients. <i>Rheumatology (Oxford).</i> 2013 Aug;52(8):1462-6. doi: 10.1093/rheumatology/ket137.	
Paramarta JE1, De Rycke L, Heijda TF, Ambarus CA, Vos K, Dinant HJ, Tak PP, Baeten DL.	Efficacy and safety of adalimumab for the treatment of peripheral arthritis in spondyloarthritis patients without ankylosing spondylitis or psoriatic arthritis. <i>Ann Rheum Dis.</i> 2013 Nov;72(11):1793-9. doi: 10.1136/annrheumdis-2012-202245.	
Bakker MF, Jacobs JW, Welsing PM, Verstappen SM, Tekstra J, Ton E, Geurts MA, van der Werf JH, van Albeda-Kuipers GA, Jahangier-de Veen ZN, van der Veen MJ, Verhoef CM, Lafeber FP, Bijlsma JW; Utrecht Rheumatoid Arthritis Cohort Study Group.	Low-dose prednisone inclusion in a methotrexate-based, tight control strategy for early rheumatoid arthritis: a randomized trial. <i>Ann Intern Med.</i> 2012 Mar 6;156(5):329-39. doi: 10.7326/0003-4819-156-5-201203060-00004.	
Boumans MJ, Thurlings RM, Yeo L, Scheel-Toellner D, Vos K, Gerlag DM, Tak PP.	Rituximab abrogates joint destruction in rheumatoid arthritis by inhibiting osteoclastogenesis. <i>Ann Rheum Dis.</i> 2012 Jan;71(1):108-13. doi: 10.1136/annrheumdis-2011-200198.	

Boumans MJ, Thurlings RM, Gerlag DM, Vos K, Tak PP.	Response to rituximab in patients with rheumatoid arthritis in different compartments of the immune system. <i>Arthritis Rheum.</i> 2011 Nov;63(11):3187-94. doi: 10.1002/art.30567.	
Yusuf E, Kortekaas MC, Watt I, Huizinga TW, Kloppenburg M.	Do knee abnormalities visualised on MRI explain knee pain in knee osteoarthritis? A systematic review. <i>Ann Rheum Dis.</i> 2011 Jan;70(1):60-7. doi: 10.1136/ard.2010.131904.	
Roodhevel F, Ligtenberg JJ, Ter Maaten JC.	INR reduction after prothrombin complex concentrate (Co-factor®) administration: comparison of INR outcomes in different patient categories at the emergency department. <i>Int J Emerg Med.</i> 2013 May 10;6(1):14. doi: 10.1186/1865-1380-6-14.	Spoedpost
<h2>AIOS - ANIOS</h2>		
Ruys AT, Busch OR, Rauws EA, Gouma DJ, van Gulik TM.	Prognostic impact of preoperative imaging parameters on resectability of hilar cholangiocarcinoma. <i>HPB Surg.</i> 2013;2013:657309. doi: 10.1155/2013/657309.	Chirurgie
Wijers O, Conijn A, Wiese H, Sjer M.	Appendico-cutaneous fistula 20 years after groin hernia repair with a polypropylene plug. <i>BMJ Case Rep.</i> 2013 Aug 6;2013. pii: bcr2013009801. doi: 10.1136/bcr-2013-009801.	
Beerekamp MS, Sulkers GS, Ubbink DT, Maas M, Schep NW, Goslings JC	Accuracy and consequences of 3D-fluoroscopy in upper and lower extremity fracture treatment: a systematic review. <i>Eur J Radiol.</i> 2012 Dec;81(12):4019-28. doi: 10.1016/j.ejrad.2012.06.021.	
Baden DN, de Beer SA, Heij HA	A newborn with an ovarian cyst. <i>Ned Tijdschr Geneesk.</i> 2012;156(39):A4699.	
Cernohorsky P, de Bruin DM, van Herk M, Bras J, Faber DJ, Strackee SD, van Leeuwen TG	In-situ imaging of articular cartilage of the first carpometacarpal joint using co-registered optical coherence tomography and computed tomography. <i>J Biomed Opt.</i> 2012 Jun;17(6):060501. doi: 10.1117/1.JBO.17.6.060501.	
Mallee W, Doornberg JN, Ring D, van Dijk CN, Maas M, Goslings JC.	Comparison of CT and MRI for diagnosis of suspected scaphoid fractures. <i>J Bone Joint Surg Am.</i> 2011 Jan 5;93(1):20-8. doi: 10.2106/JBJS.I.01523.	
Cernohorsky P, Reijnen MM, Tielliu IF, van Sterkenburg SM, van den Dungen JJ, Zeebregts CJ	The relevance of aortic endograft prosthetic infection. <i>J Vasc Surg.</i> 2011 Aug;54(2):327-33. doi: 10.1016/j.jvs.2010.12.067.	
Liem SM, van de Mheen L, Bekedam DJ, van Pampus MG, Opmeer BC, Lim AC, Mol BW.	Cervical length measurement for the prediction of preterm birth in symptomatic women with a twin pregnancy: a systematic review and meta-analysis. <i>Obstet Gynecol Int.</i> 2013;2013:125897. doi: 10.1155/2013/125897.	Gynaecologie

Verschoor MA, Lemmers M, Bossuyt PM, Graziosi GC, Hajenius PJ, Hendriks DJ, van Hooff MA, van Meurs HS, Opmeer BC, van Tulder MW, Bouwma L, Catshoek R, Geomini P, Klinkert ER, Langenveld J, Nieboer TE, van der Ploeg JM, Radder CM, Spinder T, van der Voet LF, Mol BW, Huirne JA, Ankum WM.	Surgical versus expectant management in women with an incomplete evacuation of the uterus after treatment with misoprostol for miscarriage: the MisoREST trial. <i>BMC Pregnancy Childbirth</i> . 2013 May 2;13:102. doi: 10.1186/1471-2393-13-102.	
Sondermeijer BM, Battjes S, van Dijk TH, Ackermans MT, Serlie MJ, Nieuwdorp M, Groen AK, Dallinga-Thie GM, Stroes ES.	Lactate increases hepatic secretion of VLDL-triglycerides in humans. <i>Atherosclerosis</i> . 2013 Jun;228(2):443-50. doi: 10.1016/j.atherosclerosis.2013.02.040.	Interne geneeskunde
Sondermeijer BM, Rana JS, Arsenault BJ, Shah PK, Kastelein JJ, Wareham NJ, Boekholdt SM, Khaw KT.	Non-HDL cholesterol vs. apo B for risk of coronary heart disease in healthy individuals: the EPIC-Norfolk prospective population study. <i>Eur J Clin Invest</i> . 2013 Oct;43(10):1009-15. doi: 10.1111/eci.12129.	
Sondermeijer BM, Boekholdt SM, Rana JS, Kastelein JJ, Wareham NJ, Khaw KT.	Clinical implications of JUPITER in a contemporary European population: the EPIC-Norfolk prospective population study. <i>Eur Heart J</i> . 2013 May;34(18):1350-7. doi: 10.1093/eurheartj/eh047.	
Oudman I, Kewalbansingh PV, van Valkengoed I, Zwinderman AH, Clark JF, van Montfrans GA, Brewster LM.	Creatine kinase is associated with failure of hypertension treatment. <i>J Hypertens</i> . 2013 May;31(5):1025-31. doi: 10.1097/HJH.0b013e32835f5c29.	
Oudman I, Clark JF, Brewster LM.	The effect of the creatine analogue beta-guanidinopropionic acid on energy metabolism: a systematic review. <i>PLoS One</i> . 2013;8(1):e52879. doi: 10.1371/journal.pone.0052879.	
Groen JL, Kallen MC, van de Warrenburg BP, Speelman JD, van Hilten JJ, Aramideh M, Boon AJ, Klein C, Koelman JH, Langeveld TP, Baas F, Tijssen MA.	Phenotypes and genetic architecture of focal primary torsion dystonia. <i>J Neurol Neurosurg Psychiatry</i> . 2012 Oct;83(10):1006-11. doi: 10.1136/jnnp-2012-302729.	
Horjus DL, Oudman I, van Montfrans GA, Brewster LM	Creatine and creatine analogues in hypertension and cardiovascular disease. <i>Cochrane Database Syst Rev</i> . 2011 Nov 9;(11):CD005184. doi: 10.1002/14651858.CD005184.pub2.	
Backes Y, van der Sluijs KF, Mackie DP, Tacke F, Koch A, Tenhunen JJ, Schultz MJ.	Usefulness of suPAR as a biological marker in patients with systemic inflammation or infection: a systematic review. <i>Intensive Care Med</i> . 2012 Sep;38(9):1418-28. doi: 10.1007/s00134-012-2613-1.	
Backes Y, van der Sluijs KF, Tuip de Boer AM, Hofstra JJ, Vlaar AP, Determann RM, Knape P, Mackie DP, Schultz MJ.	Soluble urokinase-type plasminogen activator receptor levels in patients with burn injuries and inhalation trauma requiring mechanical ventilation: an observational cohort study. <i>Crit Care</i> . 2011;15(6):R270. doi: 10.1186/cc10550.	

Lem AJ, van der Kaay DC, Hokken-Koelega AC.	Bone mineral density and body composition in short children born SGA during growth hormone and gonadotropin releasing hormone analog treatment. <i>J Clin Endocrinol Metab.</i> 2013 Jan;98(1):77-86. doi: 10.1210/jc.2012-2492.	Kindergeneeskunde
Lem AJ, van der Kaay DC, de Ridder MA, Bakker-van Waarde WM, van der Hulst FJ, Mulder JC, Noordam C, Odink RJ, Oostdijk W, Schroor EJ, Sulkers EJ, Westerlaken C, Hokken-Koelega AC.	Adult height in short children born SGA treated with growth hormone and gonadotropin releasing hormone analog: results of a randomized, dose-response GH trial. <i>J Clin Endocrinol Metab.</i> 2012 Nov;97(11):4096-105. doi: 10.1210/jc.2012-1987.	
Lem AJ, Jobse I, van der Kaay DC, de Ridder MA, Raat H, Hokken-Koelega AC.	Health-related quality of life in short children born small for gestational age: effects of growth hormone treatment and postponement of puberty. <i>Horm Res Paediatr.</i> 2012;77(3):170-9. doi: 10.1159/000337218.	
Lem AJ, Boonstra VH, Renes JS, Breukhoven PE, de Jong FH, Laven JS, Hokken-Koelega AC.	Anti-Mullerian hormone in short girls born small for gestational age and the effect of growth hormone treatment. <i>Hum Reprod.</i> 2011 Apr;26(4):898-903. doi: 10.1093/humrep/deq391.	
Koning CC, Wouterse SJ, Daams JG, Uitterhoeve LL, van den Heuvel MM, Belderbos JS.	Toxicity of concurrent radiochemotherapy for locally advanced non-small-cell lung cancer: a systematic review of the literature. <i>Clin Lung Cancer.</i> 2013 Sep;14(5):481-7. doi: 10.1016/j.clcc.2013.03.002.	Radiotherapie
Verpleegkundig Specialisten en Paramedici		
Hurkmans CW, Kneijens JL, Oei BS, Maas AJ, Uiterwaal GJ, van der Borden AJ, Ploegmakers MJ, van Erven L.	Management of radiation oncology patients with a pacemaker or ICD: A new comprehensive practical guideline in The Netherlands. <i>Radiation Oncology.</i> 2012 Nov 24;7:198. doi: 10.1186/1748-717X-7-198.	Cardiologie